

Manual

Lyticase (lyophilisate)

Mix of enzymes for efficient lysis of yeast cell wall.

| catalog # | size |
|-----------|----------|
| 1018-5L | 5 000 U |
| 1018-10L | 10 000 U |

For research use only.

Guarantee

A&A Biotechnology provides guarantee on this product.

The company does not guarantee correct performance of this kit in the event of:

- not adhering to the supplied protocol
- use of not recommended equipment or materials
- use of other reagents than recommended or which are not a component of the product
- use of expired or improperly stored product or its components



Description

Lyticase is an enzymatic mixture from Arthrobacter luteus.

Enzyme is designed to yeast cell wall lysis.

The main component of lyticase is β -1,3 glucanase that hydrolyses poly- β (1-3)-glucose such as yeast cell wall glucan. Lyticse efficiently lyses wall of Ashbya, Candida, Debaryomyces, Eremothecium, Endomyces, Hansenula, Hanseniaspora, Kleockera, Kluyveromyces, Lipomyces, Metschikowia, Pichia, Pullularia, Torulopsis, Saccharomyces, Saccharomycopsis, Saccharomycodes, Schwanniomyces.

Application

- efficient yeast cell lysis for DNA and RNA isolation
- preparation of yeast and fungal spheroplasts for the transformation process

Contents

| | 1018-5L | 1018-10L | storage |
|--|---------|----------|---------|
| lyticase lyophilisate | 5 000 U | 10 000 U | -20 °C |
| lyticase storage buffer 20 mM Tris-HCl, pH 8.0, 50 mM NaCl, 50% glicerol (v/v) | 550 µl | 1.1 ml | -20 °C |

Unit definition

1U of lyticase will reduce turbidity ΔA_{800} =0,001 of a suspension of *S.cerevisiae* cells in 1 min at pH 7.5 at 25 °C in 3 ml reaction mixture.

Protocol

To obtain lyticase solution with concentration 10 U/ μ l dissolve whole content of vial of lyticase lyophilisate in lyticase storage buffer:

| lyticase lyophilisate | lyticase storage buffer |
|-----------------------|-------------------------|
| 5 000 U | 500 µl |
| 10 000 U | 1 ml |

Store prepared solution at -20 °C (maximum expiration is 6 months after dissolution).

Recommended use

100 U (10 µl) of lyticase for DNA/RNA isolation from 1 ml of yeast culture. For best isolation results we recommend Genomic Mini AX Yeast (# 058-60), Genomic Mini AX Yeast Spin (# 058-100S).

Safety information



H334 May cause allergy, asthma symptoms or breathing difficulties if inhaled. P261 Avoid breathing dust. P342+P311 If experiencing respiratory symptoms call a Poison Center or doctor physician.



A&A Biotechnology, ul. Strzelca 40, 80-299 Gdańsk, Poland phone: +48 883 323 761,+48 600 776 268 info@aabiot.com, www.aabiot.com

version 2023-3

